

Onshore elevation data from National Oceanic and Atmospheric Administration (NOAA) Office for Coastal Management's Digital Coast (available at <http://www.csc.noaa.gov/digitalcoast/data/coastaliter/>) and from U.S. Geological Survey's National Elevation Dataset (available at <http://ned.usgs.gov/>). Offshore shaded-relief bathymetry from map on sheet 1, this report.

NOT INTENDED FOR NAVIGATIONAL USE

## DISCUSSION

Mapping California's State Waters has produced a vast amount of acoustic and visual data, including bathymetry, acoustic backscatter, seismic-reflection profiles, and seafloor video and photography. These data are used by researchers to develop maps, reports, and other tools to assist in the coastal and marine spatial-planning capability of coastal-zone managers and other stakeholders. Seafloor-character, habitat, and geologic maps may be used for fisheries management, for designation of Marine Protected Areas, for monitoring of environmental change such as sea-level-rise impacts, for prediction of sediment and contaminant budgets and transport, and for assessment of earthquake and tsunami hazards. To achieve these goals, it is helpful to integrate the different datasets and then view the results in three-dimensional representations such as those displayed on this data integration and visualization sheet for the Offshore of Point Conception map area.

The map view in the center of the sheet is similar to the colored shaded-relief bathymetry map of the Offshore of Point Conception map area (see sheet 1 of this report). Numbered arrows show viewing directions of the perspective views on this sheet (figs. 1, 2, 4, 5, 6); the numbers refer to the corresponding numbers of the perspective views.

The perspective views in figures 1, 2, 4, 5, and 6 show the colored shaded-relief bathymetry of the Offshore of Point Conception map area, as viewed from different directions. These views highlight the seafloor morphology in the offshore of Point Conception map area, which includes asphalt mounds, differentially eroded bedrock, and pockmarks.

Video-mosaic images created from digital seafloor video (Fig. 3) can display the geologic (rock, sand, mud, asphalt) and biologic complexity of the seafloor. Whereas photographs capture high-quality snapshots of smaller areas of the seafloor, video mosaics can capture larger areas and, thus, also transitional zones between different seafloor environments.

Drawing the ecological-backscatter imagery (see sheet 3 of this report) over the bathymetry data (Fig. 6) highlights the relations between the backscatter intensity and the seafloor morphology. It also aids in the relations between the backscatter intensity and the seafloor morphology. It also aids in the relations between the backscatter intensity and the seafloor morphology. It also aids in the relations between the backscatter intensity and the seafloor morphology.

Block diagrams (fig. 2), which combine the bathymetry with seismic-reflection-profile data (see sheet 7 of this report), help reveal the stratigraphic and structural relations between the surface and subsurface.

**EXPLANATION**

Depth (in meters) and illumination (bright areas are illuminated, facing false sun; dark areas are in shadow, facing away from false sun)







Figure 6. Perspective views of north alpine shelf and nearshore area east of Point Conception, showing colored shaded-relief bathymetry (A) and acoustic-backscatter imagery (B). In acoustic-backscatter imagery, lighter tones indicate stronger backscatter intensity, suggesting rock or coarser grained sediment, whereas darker tones indicate weaker backscatter intensity, suggesting fine grained sediment. In nearshore areas (0 to 10 m below water depth), bathymetry is from bathymetric-lidar data (see sheets 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819,



**Figure 5.** Perspective view to northeast over inner shelf and nearshore areas between Point Conception and Point Arguello, showing folded and differentially eroded bedrock, mapped as mudstone and shale of the upper Miocene and Pliocene Sisquoc Formation (see sheet 9 of this report). In places (h), outcrop has as much as 4 m of local relief. Faint ripples and parallel lines along flat seafloor are data-collection and -processing artifacts. Vertical exaggeration, 2x; distance across bottom of image, about 2.5 km.

GIS database and digital cartography by Nadine E. Golden and Stephen R. Hartwell

Manuscript approved for publication February 13, 2018

Any use of trade, product, or firm names in this publication is for descriptive purposes only and does not imply endorsement by the U.S. Government.

This map was printed on an electronic plotter directly from digital files. Dimensional calibration may vary between electronic plotters and between X and Y directions on the same plotter, and paper may change size due to atmospheric conditions; therefore, scale and proportions may not be true on plots of this map.

Digital files available at <https://doi.org/10.3133/cfr20181024>

Suggested Citation: Dartnell, P., 2018, Data integration and visualization, Offshore of Point Conception map area, California, sheet 4 in Johnson, S.Y., Dartnell, P., Cochran, G.R., Hamwell, S.R., Golden, N.E., Kiteck, R.G., and Devenport, C.W. (S.Y. Johnson and S.A. Cochran, eds.) California State Waters Map Series—Offshore of Point Conception, California: U.S. Geological Survey Open File Report 2018-1034, pamphlet 36 p., 9 sheets, scale 1:24,000, <https://doi.org/10.3133/ofr20181034>.

1:24,000, <https://doi.org/10.31233/osf.io/zt4>.

## Data Integration and Visualization, Offshore of Point Conception Map Area, California

By  
Peter Dartnell  
2018